



Chicago Pneumatic



**People.
Passion.
Performance.**

CPPG Portable Generators
Consistent Power in Tough Conditions

Powering Your Productivity

Chicago Pneumatic products are backed by more than a century of experience working with construction industry customers. We understand what it takes to be productive on the job, and it shows in our CPPG portable generator line. All the features you need and use are built right in.

These models are designed to deliver stable electrical output and safe, user-friendly operation over a long service life. That means you'll have the power you need, where and when you need it, to get straight to work and get the job done.



USER-FRIENDLY CONTROLS

The simple control panel includes engine alarms for low oil alert to protect critical components. Electric start makes it easy to power up the unit.

EXTENDED RUNTIME

A large fuel tank allows operators to keep working longer without having to stop to refuel. The tank is reinforced to protect against damage that could lead to leakages.



HIGH-QUALITY CP ENGINE

The new CP engine was designed specifically for the CPPG gasoline-powered generator line, based on extensive research and field testing. This engine is CE-compliant and meets CP's stringent quality requirements.

EASY HANDLING

The portable design allows one user to move the generator anywhere it's needed on the job site. A simple handle design makes it easy to lift the smallest unit or pull the larger units on wheels for easy transport and storage.

STRONG, STURDY COMPONENTS

Built for durability on the toughest construction sites, CPPG models feature a strong main frame with extra reinforcement around sensitive components and a protected electrical panel. Sockets are covered and recessed for added protection as well.

OPERATOR AND TOOL PROTECTION

Safety features include enclosed wires and cables, exhaust protection, and a circuit breaker to protect against electric shock or fire.

EXCELLENT SERVICE ACCESS

The compact, open design makes all components accessible for service. In addition, the hour counter makes it easy to keep track of when you need to perform scheduled maintenance.

STABLE ELECTRICAL OUTPUT

Automatic Voltage Regulation (AVR) supplies a reliable, consistent electrical output. Stable voltage protects the generator and the tools it powers — no fluctuation to compromise performance.





Over 100 Years of Experience

Since 1901 the Chicago Pneumatic name has represented high-performance tools and equipment designed for an extensive range of applications. Today, Chicago Pneumatic has a global reach, with local customer centers around the world. Chicago Pneumatic tools and air compressors are tailored to the needs of the industrial, vehicle service, and construction markets. Every day we develop and manufacture new products that are meant to meet your demands not only today, but tomorrow as well.

Technical Data

PORTABLE GENERATORS	CPPG 2.3	CPPG 5	CPPG 5 Three-Phase	CPPG 2.5	CPPG 5.5
Voltage V	230	230	400 / 230	120 / 240	120 / 240
Frequency Hz	50	50	50	60	60
Continuous Output kVA	2.3	5.5	5.5	2.5	5.5
Power Factor cos	1	1	0.8	1	1
Fuel Capacity and Consumption					
Fuel Tank Capacity L (gal)	15 (4.75)	25 (5.50)	25 (5.50)	15 (4.75)	25 (5.50)
Fuel Autonomy at Continuous Power h	11	10	10	11	10
Engine					
Engine Type	Chicago Pneumatic, Gasoline	Chicago Pneumatic, Gasoline	Chicago Pneumatic, Gasoline	Chicago Pneumatic, Gasoline	Chicago Pneumatic, Gasoline
Power Output CV	6.5	13	13	6.5	13
Displacement cm³	196	389	389	196	389
Starter Type	Manual	Electric / Manual	Electric / Manual	Manual	Electric / Manual
Alternator					
Power kVA	2.5	5.0	6.25	2.5	5.0
Noise Level					
Acoustic Pressure (LpA) db(A) at 7 m	70	72	72	70	72
Sound Power Level (LwA) db(A)	95	97	97	95	97
Dimensions					
Length mm (in)	590 (23.2)	675 (26.6)	675 (26.6)	590 (23.2)	675 (26.6)
Width mm (in)	430 (16.9)	540 (21.3)	540 (21.3)	430 (16.9)	540 (21.3)
Height mm (in)	480 (18.9)	540 (21.3)	540 (21.3)	480 (18.9)	540 (21.3)
Weight					
Operational kg (lb)	52 (114.6)	79 (174.2)	79 (174.2)	52 (114.6)	79 (174.2)

Parts and Accessories

LUBRICANTS	Size	Part Number
GENOIL – Standard Engine Oil	5 Liter Can	1626 2262 00
GENOIL – Standard Engine Oil	20 Liter Can	1626 2263 00
GENOIL – Cold Start Engine Oil	5 Liter Can	1626 2258 01
GENOIL – Cold Start Engine Oil	20 Liter Can	1626 2259 01
COOLANTS	Size	Part Number
Gencool EG	5 Liter Can	1626 2255 01
Gencool EG	20 Liter Can	1626 2256 01
Gencool Concentrate	5 Liter Can	1626 2257 01
AIR FILTERS	Part Number	
CPPG 2.3 / CPPG 2.5	1636 3006 35	
CPPG 5 / CPPG 5 Three-Phase / CPPG 5.5	1636 3007 04	

For more information, please contact your CP partner:

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.